

# NobelReplace<sup>®</sup> and Replace Select<sup>™</sup> Tapered Product overview

## High initial stability, even in compromised bone situations


The tapered implant body is designed for high initial stability and is ideal for Immediate Function in both extraction sockets and healed sites.

## Efficient treatment flow

One surgery kit, step-by-step drilling protocol and a consistent color-coding simplify site preparation and ensure predictable outcomes in all indications.

## Enhanced osseointegration

Unique oxidized TiUnite surface with grooves increases implant stability through faster bone formation and ensures long-term success.



## Broad range of restorative solutions


Prefabricated and CAD/CAM NobelProcera restorations to support all temporary and final solutions.

## Highly tactile feel

Easy-to-use connection with three interlocking channels for secure and accurate abutment placement.

## Total treatment flexibility


Four options to treat both functional and esthetic cases.













# Prosthetic components for implants with internal tri-channel connection

## Temporary abutments<sup>1</sup>


	NP		RP		WP		6.0	
	3 mm	5 mm	3 mm	5 mm	3 mm	5 mm	3 mm	5 mm
 <b>Healing Abutment</b>								
Ø3.5	29436	29437	-	-	-	-	-	-
Ø4.3	-	-	33535	33536	-	-	-	-
Ø4.5	33449	33450	-	-	-	-	-	-
Ø5.0	-	-	-	-	33453	33454	-	-
Ø5.3	-	-	33451	33452	-	-	-	-
Ø6.0	-	-	-	-	29446	29447	29998	29999
Ø7.0	-	-	-	-	-	-	33455	33457


	NP	RP	WP	6.0
 <b>Immediate Temporary Abutment<sup>2</sup></b>	2 mm 31637	2 mm 31639	2 mm 31640	2 mm 31641
 <b>Temporary Abutment Engaging</b>	36834	29036	29038	31456
 <b>Temporary Abutment Plastic Engaging<sup>4</sup></b>	30259	30260	30261	30262
 <b>Temporary Coping Multi-unit Titanium<sup>5</sup></b>	29046	29046	29046	-


	NP	RP	WP	6.0
 <b>QuickTemp™ Abutment<sup>3</sup></b>	1.5 mm 33398	1.5 mm 33399	1.5 mm 33400	1.5 mm -
 <b>Temporary Abutment Non-Engaging</b>	36835	29037	29039	31457
 <b>Temporary Abutment Plastic Non-Engaging<sup>4</sup></b>	31350	31351	31352	31353
 <b>Temporary Coping Multi-unit Plastic<sup>6</sup></b>	DCA 468-0	DCA 468-0	DCA 468-0	-

## Impression copings


### Implant level

	NP	RP	WP	6.0
 <b>Closed Tray 13 mm</b>				
Ø3.5	33537	-	-	-
Ø4.3	-	33540	-	-
Ø4.5	33470	-	-	-
Ø5.0	-	-	33472	-
Ø5.3	-	33471	-	-
Ø6.0	-	-	29494	30040
Ø7.0	-	-	-	33473




	NP	RP	WP	6.0
 <b>Closed Tray Low Profile 9 mm</b>				
Ø3.5	33538	-	-	-
Ø4.3	-	33541	-	-
Ø4.5	33474	-	-	-
Ø5.0	-	-	33476	-
Ø5.3	-	33475	-	-
Ø6.0	-	-	32178	32179
Ø7.0	-	-	-	33477





	NP	RP	WP	6.0
 <b>Closed Tray Plastic 9 mm</b>				
Ø3.5	35390	-	-	-
Ø4.3	-	35406	-	-
Ø4.5	35395	-	-	-
Ø5.0	-	-	35397	-
Ø5.3	-	35396	-	-
Ø6.0	-	-	35391	35394
Ø7.0	-	-	-	35399

Radio-opaque and delivered sterile

	NP	RP	WP	6.0
 <b>Open Tray 9 mm</b>				
Ø3.5	29485	-	-	-
Ø4.3	-	33539	-	-
Ø4.5	33466	-	-	-
Ø5.0	-	-	33468	-
Ø5.3	-	33467	-	-
Ø6.0	-	-	29493	30039
Ø7.0	-	-	-	33469


### Abutment level

	NP	RP	WP	6.0
 <b>Closed Tray Multi-unit</b>	29090	29090	29090	-
 <b>Bar Closed Tray Multi-unit</b>	29093	29093	29093	-
 <b>Snappy™ Abutment</b>				
4.0	35995	35996	35997	35998
5.5	35868	35869	35870	35871

	NP	RP	WP	6.0
 <b>Open Tray Multi-unit<sup>7</sup></b>	29089	29089	29089	-
 <b>Locator® Abutment</b>	4/pkg REF08505		20/pkg REF08505-20	
 <b>Block Out Spacer</b>	-	-	REF08514	
 <b>Locator® Male Processing Package</b>	2/pkg REF08519-2		10/pkg REF08519-10	

## Prefabricated final abutments<sup>1</sup>

### Zirconia


	NP	RP	WP
	<b>Procera<sup>®</sup> Esthetic Abutment</b>		
	NP #1 33774	RP #5 33778	WP #13 33786
	NP #2 33775	RP #6 33779	WP #14 33787
	NP #3 33776	RP #7 33780	WP #15 33788
	NP #4 33777	RP #8 33781	WP #16 33789
		RP #9 33782	WP #17 33790
		RP #10 33783	WP #18 33791
		RP #11 33784	WP #19 33792
		RP #12 33785	WP #20 33793

### Consistent color-coding


Implants, surgical and prosthetic components are color-coded for accurate and fast identification.





### Titanium

	NP	RP	WP	6.0
	<b>Esthetic Abutment</b>			
	1 mm	1 mm	0.5 mm	0.5 mm
	36836	32373	32374	32375
	3 mm	3 mm	3 mm	
	36824	32377	32378	

<b>Plastic/Temporary Coping<sup>8</sup></b>	32408	32409	32410	32172
---	-------	-------	-------	-------


	<b>Snappy<sup>™</sup> Abutment 4.0<sup>9</sup></b>			
	0.75 mm	0.5 mm	0.5 mm	0.5 mm
	36828	35963	35964	35965
	1.5 mm	1.5 mm	1.5 mm	1.5 mm
	36829	35967	35968	35969


	36823	-	-	-
---	-------	---	---	---

	<b>Ball Abutment Titanium</b>			
	1 mm	31908	31911	- <sup>10</sup>
	2 mm	31909	31912	- <sup>10</sup>
	3 mm	31910	31913	- <sup>10</sup>


	<b>Gold Cap<sup>11</sup></b>	31166	31167	-
---	------------------------------	-------	-------	---


### Gold


	NP	RP	WP	6.0	
	<b>GoldAdapt<sup>™</sup> Engaging</b>	36838	29010	29014	29989


	<b>Gold Abutment Bar</b>	36840	29062	-
---	--------------------------	-------	-------	---

### Multi-unit


	NP	RP	WP	6.0
	<b>Multi-unit Abutment</b>			
	1 mm	29196	29199	29204
	2 mm	29197	29200	29205
	3 mm	29198	29201	29206
	4 mm	-	29202	-
	5 mm	-	29203	-


	<b>Healing Cap Multi-unit</b>			
	1/pkg	31145	31145	31145
	5/pkg	29064	29064	29064
	Wide 1/pkg	31146	31146	31146


	<b>Gold Coping Multi-unit<sup>5</sup></b>			
	1/pkg	29043	29043	29043
	5/pkg	29042	29042	29042


	NP	RP	WP	6.0
	<b>Esthetic Abutment 15<sup>°</sup></b>			
	1 mm	1 mm	0.5 mm	0.5 mm
	36837	32381	32382	32383
	3 mm	3 mm	3 mm	
	36825	32385	32386	


<b>Plastic/Temporary Coping<sup>8</sup></b>	32787	32788	32789	-
---	-------	-------	-------	---

	<b>Snappy<sup>™</sup> Abutment 5.5<sup>9</sup></b>			
	0.75 mm	0.5 mm	0.5 mm	0.5 mm
	36826	35799	35800	35801
	1.5 mm	1.5 mm	1.5 mm	1.5 mm
	36827	35803	35804	35845

	NP	RP	WP
	<b>Locator<sup>®</sup> Abutment</b>		
	0 mm	REF08756	REF08761
	1.0 mm	REF08757	REF08762
	2.0 mm	REF08758	REF08763
	3.0 mm	REF08759	REF08764
	4.0 mm	REF08760	REF08765
	5.0 mm	REF08734	REF08753
	6.0 mm	REF08735	REF08754

	NP	RP	WP	6.0	
	<b>GoldAdapt<sup>™</sup> Non-Engaging</b>	36839	29011	29015	29990

	NP	RP	WP	6.0
	<b>17<sup>°</sup> Multi-unit Abutment</b>			
	2 mm	29235	29237	-
	3 mm	29236	29238	-
	4 mm	-	29239	-

	<b>30<sup>°</sup> Multi-unit Abutment</b>			
	4 mm	-	29240	-
	4 mm <sup>12</sup>	-	33409	-
	5 mm	-	29241	-
	5 mm <sup>12</sup>	-	33410	-

	<b>Gold Coping Bar Multi-unit<sup>6</sup></b>	29045	29045	29045	-
---	---	-------	-------	-------	---

- Abutment screw included with all abutments.
- Plastic coping 31656 included (cannot be used as a burn-out).
- Plastic coping 33404 included (cannot be used as a burn-out).
- Abutment screw not included (cannot be used as a burn-out).
- Prosthetic screw included.
- Prosthetic screw not included (cannot be used as a burn-out).
- 15 mm guide pin included.
- Can be used as a burn-out.

- Includes abutment screw, impression coping, healing cap and plastic/temporary coping engaging (plastic/temporary coping non-engaging also available).
- Adapter WP to RP 31945 available (add 0.5 mm to the abutment height)
- Includes duplicating aid.
- Abutment engaging for All-on-4<sup>®</sup> treatment concept with guided surgery.



## NobelProcera® individualized CAD/CAM restorations




- Individualized abutments, screw-retained crowns and implant bridges in zirconia (4 shades) and titanium
- Fixed and fixed-removable implant bars overdenture
- Coping and bridge frameworks and full-contour restorations in a variety of materials



Contact your local Nobel Biocare sales office to learn more about the full range of precision-milled NobelProcera restorations.






**For all Nobel Biocare and other major implant systems.**




## Replicas

	NP	RP	WP	6.0
 <b>Implant</b>				
1/pkg	29498	29500	29502	29995
20/pkg	29499	29501	29503	-
 <b>Snappy™ Abutment</b>				
4.0	35982	35983	35984	35985
5.5	35854	35855	35856	35857
 <b>Ball Abutment</b>	29114	29114	-	-


	NP	RP	WP	6.0
 <b>Multi-unit Abutment</b>	1/pkg 31161	1/pkg 31161	1/pkg 31161	
	5/pkg 29110	5/pkg 29110	5/pkg 29110	
 <b>Locator® Abutment</b>		4/pkg	20/pkg	
	Ø4mm	REF08530	REF08530-20	
	Ø5mm	REF08516	REF08516-20	


## Screws


	NP	RP	WP	6.0
 <b>Abutment Screw</b>				
zirconia restorations	28837	28816	28816	28816
titanium restorations	36818	29475	29475	29475
 <b>Abutment Screw Multi-unit Angled</b>	29242	29243	-	-
 <b>Prosthetic Screw Multi-unit</b>	29285	29285	29285	-


	NP	RP	WP	6.0
 <b>Laboratory Screw only for titanium restorations</b>	31170	29293 (5/pkg)	29293 (5/pkg)	29293 (5/pkg)
 <b>Laboratory Screw Multi-unit Angled</b>	31166	31167	-	-
 <b>Laboratory Screw Multi-unit 5/pkg</b>	29287	29287	29287	-

## Other components

	NP	RP	WP	6.0
 <b>Protection Analog 5/pkg</b>	29119	29120	29121	30043





	NP	RP	WP	6.0
 <b>Protection Analog Multi-unit 5/pkg</b>	29123	29123	29123	-

 <b>32309 Prosthetic Kit</b>				
Screwdriver Machine Unigrip™ 20 mm		29151		
Screwdriver Machine Unigrip™ 30 mm		29153		
Screwdriver Machine Multi-unit 21 mm		29158		
Manual Torque Wrench Prosthetic		29165		

 <b>Guide Pin Multi-unit</b>				
10 mm (1/pkg)		31154		
10 mm (5/pkg)		29102		
20 mm (1/pkg)		31155		
20 mm (5/pkg)		29103		

# Order your implant of choice today





## Replace Select™ Tapered\*

Platform	Implant Ø	Length				
		8mm	10mm	11.5mm	13mm	16mm
 NP	3.5mm	36104	29401	36105	29402	29403
 RP	4.3mm	36106	29413	36107	29414	29415
 WP	5.0mm	36108	29423	36109	29424	29425
 6.0	6.0mm	36110	32949	36111	32950	-



With 1.5mm machined collar





## Replace Select™ Tapered PMC (Partially Machined Collar)\*

Platform	Implant Ø	Length				
		8mm	10mm	11.5mm	13mm	16mm
 NP	3.5mm	37300	37301	37302	37303	37304
 RP	4.3mm	37305	37306	37307	37308	37309
 WP	5.0mm	37310	37311	37312	37313	37314
 6.0	6.0mm	37315	37316	37317	37318	37319



With 0.75mm machined collar




## NobelReplace® Tapered

Platform	Implant Ø	Length				
		8mm	10mm	11.5mm	13mm	16mm
 NP	3.5mm	32211	32212	36100	32213	32214
 RP	4.3mm	32215	32216	36101	32217	32218
 WP	5.0mm	32219	32220	36102	32221	32222
 6.0	6.0mm	32223	32224	36103	32225	32226



With TiUnite on collar

## NobelReplace® Tapered Platform Shift


Platform	Implant Ø	Length				
		8mm	10mm	11.5mm	13mm	16mm
 NP	4.3mm	36841	36842	36843	36844	36895
 RP	5.0mm	36896	36897	36898	36899	36900
 WP	6.0mm	36901	36902	36903	36904	36905



With platform shifting

\* Cover screw included.

## Cover screw

	NP	RP	WP	6.0
	29433	29434	29435	30087




On all Nobel Biocare implants including prefabricated prosthetic components. For further information visit [nobelbiocare.com/warranty](http://nobelbiocare.com/warranty)



For the full assortment of Nobel Biocare products, see our current product catalog.

[nobelbiocare.com/catalog](http://nobelbiocare.com/catalog)



## Order online

Order the complete range of our implants and prefabricated prosthetics 24 hours a day through the Nobel Biocare online store.

[nobelbiocare.com/store](http://nobelbiocare.com/store)



## Order by phone or fax

Call our customer service, send a fax or contact your sales representative.

# Surgical components

Precision Drill	
NP, RP, WP, 6.0	36118



Guide Drill	
NP, RP, WP, 6.0	35426



Drill with Tip Tapered Ø 2 mm	
NP, RP, WP, 6.0	36117



Drills	8 mm	10 mm	11.5 mm	13 mm	16 mm
NP	32075	29367	36113	29368	29369
RP	32076	29370	36114	29371	29372
WP	32077	29373	36115	29374	29375
6.0	32078	29967	36116	29968	32249



Dense Bone Drills	13 mm	16 mm
NP	29377	29378
RP	29380	29381
WP	29383	29384
6.0	29970	32250



Screw Taps	
NP	36717
RP	32090
WP	32091
6.0	32092




Implant Drivers	Short	Long
NP	36124	36125
RP	36126	36127
WP	36128	36129
6.0	36130	36131



Bone Mills and Guides	Bone Mill with Guide	Bone Mill Guide
NP Ø 4.6	36830	36608
RP Ø 5.3	36831	36609
WP Ø 6.5	36832	36610
6.0 Ø 7.0	33505	33509



**36894 NobelReplace Tapered Surgery Kit**  
Includes instruments and drills to perform surgery for all NobelReplace/Replace Select Tapered implants Ø 3.5, 4.3 and 5.0 mm.



## The key to successful treatments

Diagnose and plan implants in 3D based on the patient's anatomy and prosthetic needs with the NobelClinician Software. For more complex cases, you have the option to place the implants fully guided with the well-established NobelGuide concept.

[nobelbiocare.com/nobelclinician](http://nobelbiocare.com/nobelclinician)